

AW TRAILERS

Stock Container



The Stock Containers from AW Engineering have a High Specification and the same High Quality Build as All AW Trailers.

They feature an Aluminium Framework clad with High Grade Thick Aluminium Plate and incorporate a fully welded Aluminium Tread Plate Floor.

**AW Engineering (Hereford) Ltd.
Stoney Street
Madley
Hereford
HR2 9NQ**

**Tel : 01981 251558
Fax : 01981 251568**

**Web : www.awtrailers.co.uk
Email : sales@awtrailers.co.uk**



Rear Ramp / Tailboard

- Pressed Aluminium Tread Plate Ramp / Tailboard with Steel Framework
- Fully Enclosed Heavy Duty Ramp Springs
- Folding Ramp Gates fabricated from Aluminium Hollow Section with special Livestock Profile
- Ramp gate members spaced horizontally to give good overall height and minimum clearance underneath



Internal Div

- Aluminium
- Aluminium
- Gate Slam
- Release m
- Tab to hol
- 'Doors with Locki

Standard features include :-

Aluminium Framework

Aluminium Framework clad with high grade thick Aluminium Plate so strong and durable but lightweight

Aluminium Floor

Fully welded Aluminium Tread Plate Floor which is easy to clean

Rear Frame

Rear frame constructed from steel for improved wear resistance on hinges

Ramp / Tailboard

Spring assisted

Inspection Door

Division Gates

Fitted with Slam Latches

Fixing Bolts

Easy to bolt down to Trailer

Lighting

Maintenance Free LED Internal Lighting

Internal Bump Rail

Paint

Steel painted with 2 pack paint

Vents



Sheep Decks

- Aluminium Tread Plate Decks which fold neatly against container sides. Rear ramp sections folds flat and lifts
- Support Bars manufactured from Aluminium Hollow Section complete with storage on inside of container headboard
- Deck Ramps fitted with Grip Bars
- Steel framework on Deck Ramps
- Hydraulic Deck Ramp available as optional extra complete with Operating Valve mounted on exterior



Division Gates

Section framework clad with thick
Plate pressings

Latch to hold gate closed complete with Easy
mechanism

door in open position

thin door' on models fitted with Sheep Decks
ing Bolt Latch for each smaller door



The AW Stock Container is available in 22ft and 26ft long models as standard. It is intended to be used in conjunction with an AW Bale Trailer.

We can make the Stock Container to **any length** required and it can be manufactured to suit any existing trailer. Please do not hesitate to contact us to discuss your requirements.

There is a range of optional extras available for the AW Stock Container, some of which are shown below.

LIGHTING OPTIONS

LED Work Lights



- 2 LED work lights fitted on exterior framework above tailboard
- Steel guards
- Weatherproof switch mounted above ramp spring
- Maintenance free

LED Beacon

- LED beacon fitted on exterior framework above tailboard
- Maintenance free

LED Road Lights

- 2 sets of LED road lights fitted on exterior framework above tailboard (in addition to lights fitted to trailer)
- Maintenance free



Under Floor Tank

- Fitted in trailer floor at rear
- Aluminium tread plate complete with draining vents
- External plug to drain

Vent Flaps

Also available

AW Engineering (Hereford) Ltd.
Stoney Street, Madley, Hereford, HR2 9NQ

Tel : 01981 251558
Fax : 01981 251568

www.awtrailers.co.uk
sales@awtrailers.co.uk

QUALITY
RELIABILITY
DURABILITY